### UNITED STATES DISTRICT COURT FOR THE DISTRICT OF MASSACHUSETTS

IN RE PHARMACEUTICAL INDUSTRY AVERAGE WHOLESALE PRICE LITIGATION

MDL No. 1456

CIVIL ACTION: 01-CV-12257-PBS

Judge Patti B. Saris

THIS DOCUMENT RELATES TO County of Suffolk v. Abbott Laboratories, et al., E.D.N.Y. Case No. CV-03-229

### FUJISAWA HEALTHCARE INC.'S RESPONSE TO SUFFOLK'S AFFIDAVIT OF AARON D. HOVAN

Defendant Fujisawa Healthcare, Inc. ("Fujisawa"), through undersigned counsel, respectfully responds to Plaintiff Suffolk County's ("Suffolk") submission in support of its calculation of an alleged "spread" in connection with the Fujisawa drug at issue. In addition to all of the general defects in the Suffolk submission's calculations, 2 there are extraordinary flaws in the submission as they relate to Fujisawa in particular. Not a single document relating to Fujisawa has been submitted by Suffolk, and the data Suffolk purports to rely upon in support of its calculations is either absent or simply wrong. Suffolk has presented no legitimate calculation of any fraudulent spread by Fujisawa, much less any data or documents supporting such a

Fujisawa Healthcare, Inc. is the corporate entity that remains in this case. Fujisawa Pharmaceuticals, Ltd., referenced in the Court's October 26, 2004 Order, was the corporation originally named; Fujisawa Healthcare was substituted in the corrected complaint filed by Plaintiff.

<sup>2</sup> These flaws are discussed in a common brief submitted contemporaneously by all of the defendants who were the subject of the Suffolk submission. Fujisawa has joined that brief.

calculation. For the reasons set forth below and in the common brief, the Court should dismiss Fujisawa from the Suffolk matter.

- (1) The Suffolk submission provides no documents supporting its calculation of a "spread" in connection with the pricing of Prograf. There is only one Fujisawa drug at issue in this matter: Prograf, an immunosuppressant used almost exclusively in connection with organ transplants.<sup>3</sup> Notwithstanding the Court's specific order to "disclose... all documents upon which [Suffolk] relied in calculating the spreads...", Suffolk has not proffered a single document relating to the calculation of a "spread" in connection with Prograf. Even the survey which is the basis for Suffolk's assertion that the average retail price is 1.27 times the average wholesale price is inapplicable to Prograf because no drugs similar to Prograf or in the same therapeutic class as Prograf were included in the survey sample. (See Prescription Drug Prices in Canada and the United States Part 1: A Comparative Survey at "Analysis: Clarifying the Sample"). This lack of any supportive documentation is particularly important because, as discussed below, the summary data provided by Suffolk in regards to Prograf is virtually non-existent and, where it does exist, is inaccurate.
- (2) There is little data provided in the Suffolk submission regarding Prograf or its pricing. The Suffolk submission provides "calculations" in regards to a "spread" in the pricing of Prograf in the referenced dosage for 2003 and 2004. However, the 2003 calculation (set forth in Exhibit "C" to the Suffolk submission) states that the reported AWP (as reported in the Red Book) and the retail price at Costco.com are "unavailable." The 2003 calculation therefore makes no conclusion as to "estimated overcharge" or "percentage of AWP." Similarly there is no factual data or basis for the 2004 calculation (set forth in Exhibit "D" to the Suffolk

As noted in Exhibit "F" to Suffolk's submission, the county only paid \$2,456 in total for Prograf for the entire year in 2003.

submission). According to Suffolk County, all of the reported AWP and pricing data is purportedly "unavailable" as to Prograf, and no conclusions are made for 2004 either. Indeed, the only year for which data was proffered is 2001 (discussed in section (4) below).

In fact, average wholesale prices for Prograf for the referenced dosage were reported in the Red Book for 2003 and 2004 (see attached). Also, prices were found on certain of the referenced websites in this year for the referenced dosage of Prograf (see attached)(the data is now unavailable for 2003).

(3) The data that has been provided in the Suffolk submission as to Prograf is demonstrably inaccurate. The only data provided in the Suffolk submission is the 2001 data set forth in Exhibit "B."

First, none of the numbers provided constitute a "per unit" price as alleged in the Affidavit – all of the provided figures are more than \$100. Second, the "Reported Average Wholesale Price" allegedly derived from the Red Book is \$375.39; however, as shown in the 2001 Red Book page (attached), this number appears nowhere in that publication, much less for the dosage amount referenced by the complaint. Third, no sale prices whatsoever are provided for Prograf in 2001, only an "Estimated True AWP" of \$171.17. Neither this Court nor Fujisawa can begin to guess how this number was arrived at; it certainly has no relation to any of the retail pricing data obtained by Fujisawa and any retail pricing data proffered by Suffolk.

(4) The references to "government investigations" in the Suffolk submission as they relate to Fujisawa and Prograf are inaccurate and misleading. Exhibit "A" references five "investigations" that Suffolk asserts lend credence to its allegations. However, Fujisawa has no record of ever being involved in an investigation by the State of Montana. As to the other investigations cited by Suffolk (DOJ, OIG, Texas and California), none of them involved

Prograf. Moreover, these subpoenas were served between seven and three years ago, and none of the investigating authorities has sued or otherwise pursued Fujisawa with respect to a single one of these issues.

As it relates to Prograf, it is clear that Suffolk hastily slapped together a collection of spurious allegations and incomplete and inaccurate data to give lip service to compliance with the Court's order. Plaintiff has not provided a single document referring to Prograf, much less the basis of its calculation of a "spread" in Prograf pricing as required by the Court. Indeed, even the sparse amount of summary "data" provided by Plaintiff regarding Prograf suffers from incompletion and inaccuracy. This half-effort should not suffice, and the Court should dismiss the Suffolk complaint in its entirety as it relates to Fujisawa.

Respectfully Submitted,

### BINGHAM MCCUTCHEN LLP

By:

/s/S. Elaine McChesney Boston MA 02110 (617) 951-8501 (617) 951-8736 (fax)

### REED SMITH LLP

/s/ Kathleen H. McGuan

By:

Kathleen H. McGuan Andrew L. Hurst 1301 K Street NW Suite 1100 – East Tower Washington, DC 20005 (202) 414-9200 (202) 414-9299 (fax)

/s/ Michael T. Scott

Michael T. Scott 2500 One Liberty Place 1650 Market Street Philadelphia, PA 19103-7301 (215) 851-8100 (215) 851-1420 (fax)

Attorneys for Defendant Fujisawa Healthcare, Inc.

Dated: November 30, 2004

### **CERTIFICATE OF SERVICE**

I certify that a true and correct copy of Fujisawa Healthcare, Inc.'s Response to Suffolk's Affidavit of Aaron D. Hovan was delivered to all counsel of record via electronic service pursuant to Paragraph 11 of Case Management Order No. 2 by sending, on November 30, 2004, a copy to Verilaw Technologies for posting and notification to all parties.

/s/ Andrew L. Hurst	
Andrew L. Hurst	

## **Attachments**

PROD/MER

NDC

		ŀ
ЭP	OBC	
		١.
_		

47.54

PROD - MFR AWP DP OBC NDC (WETTABLE, U.S.P.) . . . 51552-0005-25 25 am 28.20 (WETTABLE, U.S.P.) 25 am . . (U.S.P.) 100 am ...51552-0005-10 92.40 (WETTABLE, U.S.P.) ..... 51552-0006-10 92.40 (MILLED, U.S.P.) 1000 gm. (U.S.P.,MICRONIZED) . 51552-0643-01 538.80 .. **51552**-0**005-01** 538.80 (Integra) Pow, NA (U.S.P., WETTABLE) 25 gm ... 05324-5273-25 37.03 100 gm ... 05324-5273-35 109.62 (Medisca) POW, NA (MILLED, U.S.P.) .38779-0310-04 42.50 19.80 (U.S.P., WETTABLE) 38779-0057-04 42.50 19.80 (U.S.P.,MICRONIZED) 38779-0043-04 42.50 19.80 (MILLED, U.S.P.) 100 gm....(U.S.P., WETTABLE) .. 38779-0310-05 132.50 63.75 . 38779-0057-05 127.50 63.75 (U.S.P.,MICRONIZED) ...... 38779-0043-05 127.50 58.00 (MILLED, U.S.P.) ...38779-0310-09 1187.50 510.00 1000 gm.....(U.S.P.,MICRONIZED) .. 38779-0057-09 975.00 510.00 1000 gm.......38779-0643-09 975.00 475.00 (Meridian Pharm) POW, NA (U.S.P.,MICRONIZED) 25 am. 25 gm.....(U.S.P.,MICRONIZED) 62991-1124-02 167-64 (Paddock) POW, NA (U.S.P.) 25 gm......00574-9430-25 1000 gm....(U.S.P., MILLED) ..... 00574-0430-00 600.00 (Paddock) See PROGESTERONE WETTABLE

## Progesterone USP

Micronized Powder for Prescription Compounding



800-645-6655 www.pharma-tek.com

Pharma-Tek)		
POW, NA (U.S.P.)		
10 gm 39822	<b>2-6000-01</b> 13.50	11.00
(U.S.P., WETTABLE)		
10 gm	<b>2-6100-01</b> 13.50	
(U.S.P.)		
25 gm	2-6000-03 22.50	20.00
(U.S.P., WETTABLE)		
25 gm 39822	2-6100-03 22.50	- 1
(U.S.P.)		
50 gm	2-6000-05 39.00	36.00
(U.S.P., WETTABLE)		
50 gm 39822	2-6100-05 39.00	
(U.S.P.)		
100 gm	2-6000-07 73.50	
(U.S.P., WETTABLE)		
100 gm39822	2-6100-07 73.50	65.00
		05.00
1000 gm39822	2-6100-09 540.00	
(U.S.P.,MICRONIZED)		
1000 gm39822	<b>2-6000-09</b> 540.00	

	•
	PROD/MFR NDC AWP DP OBC
l	(Schein) See PROGESTERONE IN SESAME OIL
1	(Serono) See CRINONE
1	(Solvay) See PROMETRIUM
1	PROGESTERONE (Cyclin)
İ	progesterine, micronized POW, NA (BULK FOR COMPOUNDING)
-	500 gm 53409-1220-07 450.00
1	1000 gm
	PROGESTERONE IN SESAME OIL (APP) progesterone
	OIL, IM (M.D.V.)
	50 mg/ml, 10 ml 63323-0281-10 38.75 A0
	(Schein) OIL, IM (VIAL)
	50 mg/ml, 10 ml 00591-3128-79 38.75 2.50 AQ
1	PROGESTERONE MICRONIZED (Medisca) progesterone, micronized
1	POW, NA (U.S.P.)
1	500 gm38779-0043-08 562.50
1	(Meridian Pharm) POW, NA, 1 ml62991-2184-03 1797.00 599.00
-	5 ml62991-2184-04 8985.002995.00
	100 gm
	PROGESTERONE MICRONIZED (B&B Pharm, Inc)
-	REPACK
	progesterose, micronized POW, NA, 100 gm
	500 gm
	1000 gm
	PROGESTERONE WETTABLE (Medisca) progesterone, wettable
	POW, NA, 500 gm
	(Paddock) progesterane
ļ	POW, NA (U.S.P., MICROCRYSTALLINE)
1	25 gm
ŀ	1000 gm
1	PROGESTERONE WETTABLE MICROCRYSTALLINE
	(Meridian Pharm) progesterone, weltable microcrystalline
-	POW, NA, 1 ml
-	25 gm
-	500 gm
-	PROGESTERONE, MICRONIZED (Cyclin) See PROGESTERONE
-	(Medisca) See PROGESTERONE MICRONIZED
ı	(Meridian Pharm) See PROGESTERONE MICRONIZED
Ì	PROGESTERONE, WETTABLE
-	(Medisca) See PROGESTERONE WETTABLE
ţ	PROGESTERONE, WETTABLE MICROCRYSTALLINE (Meridian Pharm) See PROGESTERONE WETTABLE
	MICROCRYSTALLINE
ار	PROGLYCEM (Ivax Pharm)
ľ	diazoxide SUS, PO, 50 mg/ml, 30 ml. 00575-6200-30_167.08_53.79
ł	PROGRAF (Fujisawa)
1	taerolimus
	CAP, PO, 0.5 mg, 100s ea
	(10X10,BL(STER PACK) f mg, 100s ea UD00469-0617-11 368.05 199.50
	5 mg, 100s ea <b>00469-0657-73</b> 1858.83 997.50
	(10X10,BLISTER PACK) 5 mg, 100s ea UD 00469-0657-11 1840.08 997.50
	SOL, IV (AMP,PF)
	5 mg/ml, 1 ml00459-3016-01 125.05
۱	PROHANCE (Bracco Diay) gadoteridol
1	ŠOL, IV (S.D.V.)
	279.3 mg/ml, \ 5 mi 5s
	(S.D. SRN,PREFILLED)
	279.3 mg/ml, 10 ml 5s
	(S.D.V.)
1	279.3 mg/ml, 10 ml 5s
	15 ml 5s
	(S.D. SRN,PREFILLED) 279.3 mg/ml,

Electronic Drug Pricing and Clinical Information Database Services - (800) 722-3062 (S.D.V.) 279.3 ma/ml. 50 ml 5s,..........00270-1111-40 1676.251341.00 PROHIST-8 (Emrex/Economed) chlorpheniramine maleste CER, PO, 8 mg, 100s ea ... 38130-5511-01 12.98 10.82 PROLASTIN (Bayer Pharm) alpha-1 proteinase inhibitor human PDS, IV (APPRX 1000 MG VIAL) . 00026-0601-35 1 mg. ea..... 0.28 (APPRX 500 MG VIAL) PROLEUKIN (Chiron Corporation) aidesleukin PDS. IV (PF) 22 million iu, ea . . . . . 53905-9991-01 773.12 633.96 PROLEX DH (Blansett) hydrocodone bilartrate/potassium qualacolsulfonate LÍO, PO (AF,SF,FRUIT,TROPICAL) 4.5 mg/5 ml-300 mg/5 ml, 120 ml, C-III . . . . . . . 51674-0212-04 480 ml, C-III . . . . . . 51674-0212-07 PROLEX DM (Blansett) dextromethorphan hydrobromide/potassium gualacoisu LIQ, PO (AF,SF,APPLE,ORANGE) 15 mg/5 ml-300 mg/5 ml PROLEX PD (Blansett) gualfenesin/phenylephrine hydrochloride TER, PO, 600 mg-10 mg, 100s ea......51674-0126-01 47.95 PROLEX-D (Blansett) gualienesin/phenylephrine hydrochlofide TER. PO (DYE-FREE) 600 mg-20 mg PROLINE (A-A Spectrum) See L-PROLINE PROLIXIN (Apothecon) fluphenazine hydrochłoride ELI, PO, 2.5 mg/5 ml, 26.18 21.82 AA TAB, PO, 5 mg, 100s ea ... 00003-0877-50 219.90 183.25 AB SOL, PO, 5 mg/ml, 120 ml .00003-0801-10 164.65 137.21 AA TAB, PO, 10 mg, 100s ea .. 00003-0956-50 286.22 238.52 AB PROLIXIN DECANOATE (Geneva) fluphenazine decanoate OIL. IJ (VIAL) 25 mg/ml, 5 ml......00003-0569-15 125.45 105.64 AO PROLOPRIM (Monarch) trimethoorlm TAB, PO, 100 mg, 100s ea . 61570-0057-01 111.24 AB PROMACET (MCR/Amer Pharm, Inc.) acetaminophen/butalbital TAB, PO, 650 mg-50 mg, EE PROMACOT (Truxton) promethazine hydrochloride TAB, PO, 25 mg, 1000s ea . 00463-6156-10 15.00 EE SOL, IJ (VIAL) 50 mg/ml, 10 ml . . . . 00463-1995-10 EE PROMAR (Marlop) ascorbic acid/cyanocobalamin/terrous fumarate/toll CAP, PO, 30s ea .......12939-0315-30 23.15 PROMAZINE HCL (Consolidated Midland) promazine hydrochloride SOL, IM (VIAL) 25 mg/ml, 10 ml . . . . . 00223-8397-10 50 mg/ml, 10 ml .... 00223-8398-18 ΕE PROMAZINE HYDROCHLORIDE (Consolidated Midland) See PROMAZINE HCL

625.00

750.00

17 ml 5s...........00270-1111-45 587.50 470.00

PROGE/ <b>524</b>		
PROD/MFR NDC	AWP DI	080
(U.S.P.)	10.00	
10 gm	18.06	
10 gm	24.50	
25 gm	30.10	
25 gm		
(U.S.F.) 100 gm		
100 gm		
1000 gm	628.60	
1000 gm 51552-0005-07 (WETTABLE,U.S.P.)		
(WETTABLE, U.S.P.) 1000 gm	805.00	
POW, NA (U.S.P., WETTABLE) 25 gm	37.03	
100 gm 85324-5273-35	109.62	
(Medisca) Pow. NA (MILLED, U.S.P.)		
25 gm		
25.gm		
25 gm 38779-0043-04 (MILLED, U.S.P.)		
100 gm		
100 gm38779-0057-05		
100 gm		
1000 gm		
1000 gm38779-0057-09		
(U.S.P.,MICHONIZED) 1000 gm	9 1194.00	
POW, NA (U.S.P., MICRONIZED)	<b>1</b> 58.50	
100 gm62991-1124-U	2 167.64	
(Paddock) POW, NA (U.S.P.)	5 39.26	
25 gm	127.37	
1000 gm Q0574-0430-8 (U.S.P., MILLED)		
1000 gm	TABLE	
(Serono) See CRINONE		
(Spivay) See PROMETRIUM (Spectrum Pharmacy Prod)		
POW, NA (MILLED/U.S.P.) 5 dm	<b>01</b> 13.20	
(U.S.P. MICRONIZED) 5 gm		
(U.S.P. YAM, MICRONIZED) 5 gm		
(WETTABLE/U.S.P.) 5 gm		
(MILLED/U.S.P.) 25 gm		
(U.S.P.,MICRONIZED) 25 gm		)
(U.S.P.,YAM,MICRONIZED) 25 gm		)
(WETTABLE/U.S.P.) 25 gm		
(MILLED/U.S.P.) 100 gm		
(U.S.P.,MICRONIZED) 100 gm		
(U.S.P. YAM, MICRON-ZED) 100 gm		
(WETTABLE/U.S.P.) 100 gm		
(MILLED/U.S.P.) 500 gm		
(U.S.P., MICRONIZED) 500 gm		
(U.S.P. YAM, MICRONIZED) 500 gm		
(WETTABLE/U.S.P.) 500 gm		60
(MILLED/U.S.P.) 1000 gm		25,
1000 gillion 1000		!

PROD/MFR	NDC		AWP D	P OBC	
(U.S.P.,MICRO	NIZED)	casa 04 7	67.05		_
1000 gm (U.S.P.,YAM,M	HCROMIZEDI				
1000 gm (WETTABLE/U	6 6 1	- <b>6061-05</b> 6			-
1000 gm latson) See PR	49452	-6080-04 9 E-IN SESAN	NE OIL		ļ
	ester			Р	
M Pre:	icronized F scription C	owder to ompound	r ling		
X	GE	ΞN		-	
1	PHARMACEL	JTICALS INC	- Control of the Cont		
866-390	4411	www	.x-ge	n.us	
X-Gen)					•
OW NAMES P. 1	VICRONIZED)	2-6000-01	13.50		
/IISP WET	TABLE) 3982		13.50		
HISP MICE	RUNIZEU)		22.50	-	
THE D IMET				\	
25 gm (U.S.P., MIC	RONIZED)		22.50		Ķ
50 gm (U.S.P., WET	TABLE)	2-6000-05	39.00		
50 gm (U.S.P., MIC	BONIZED)	22-6100-05	39.00		
100 gm (U.S.P., WE)	3984	22-6000-07	73.50		
100 gm	398	22-6100-07	73.50 540.00		
PROGESTEROI	NE IN SESAI	ZZ:0000*09 ME OIL (Af	9 <b>구</b> ()		_
progesterone OIL, IM (M.D.V.)					1
50 mg/ml, 1	0 ml 633	23-0261-10	38.75	, _	ΑO
(Watson) OIL, IM (VIAL)					
50 mg/ml, 1	0 ml 085	91-3128-79	38.75		AO
PROGESTERO REPACK		IZED (B&B	PHANK	a, incj	
progesterone,	m	275-9981-05	186.0	0′	
500 am	633 633	2/3-990 I-UO	. 43.0	0	
(Hawkins)					
POW, NA (YAM)	633	370-0200-35	196.0	0	
500 gm		370-0200-40 370-0200-50	1 1480.0	Ó	
1000 gm		219-0500-00	7000.0	ň	
1 SOOKO ODO	63	310-0500-04	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

2004 RED BOOK AWP DP OBC PROD/MFR NDC (Paddock) progesterone POW, NA (U.S.P., MICROCRYSTALLINE) 100 gm......**00574-0431-01** 137.48 PROGESTERONE WETTABLE MICROCRYSTALLINE (Meridian Pharm) progesterone, wettable microcrystalline POW, NA, 25 gm ..... 62991-1123-01 105.00 35.00 100 gm. **62991-1123-02** 192.00 64.00 500 gm. **62991-1123-03** 795.00 265.00 1000 gm....... 62991-1123-04 1410.00 470.00 PROGESTERONE, MICRONIZED (Cutispharma) See FIRST-PROGESTERONE MC 10 (Cutispharma) See FIRST-PROGESTERONE MC 5 (Cyclin) See PROGESTERONE (Hawkins) See PROGESTERONE MICRONIZED (Medisca) See PROGESTERONE MICRONIZEO -(Meridian Pharm) See PROGESTERONE MICRONIZED PROGESTERONE, WETTABLE (Hawkins) See PROGESTERONE WETTABLE (Medisca) See PROGESTERONE WETTABLE PROGESTERONE, WETTABLE MICROCRYSTALLINE (Meridian Pharm) See PROGESTERONE WETTABLE MICROCRYSTALLINE PROGLYCEM (Ivax Pharm) diazoxide SUS\_PO, 50 mg/ml, 30 ml. 00575-8200-30 167.08 PROGRAF (FUIISZWA) tacrolimus CAP, PO, 0.5 mg, 100s ea. . 00469-0607-73 227.03 (10X10,BLISTER PACK) 5 mg, 100s ea UD ... 00469-0657-11 1886.59 SOL, IV (AMP,PF) 5 mg/ml, 1 ml....... 09469-3016-01 125.05 PROHANCE (Bracco Diag) SOL, IV (S.D.V.) 279.3 mg/ml, .00270-1111-04 189.06 151.25 5 ml 5s.. (S.D. SRN, PREFILLED) (S.D.V.) 279.3 mg/ml, 00270-1111-02 542.81 434.25 15 ml 5s. (S.D. SRN,PREFILLED) 279.3 mg/ml, (SDV) 279.3 mg/ml, 50 ml 5s......09270-1111-40 1676.25 1341.00 PROLASTIN (Bayer Corp.) alpha-1 proteinase inhibitor human PDS, IV (APPRX 1000 MG VIAL) 1 mg, ea......0 (APPRX 500 MG VIAL) 1 mg, ea......00026-0601-30 0.31 PROLEUKIN (Chiron Corporation) aldesleukin PDS, IV (PF) 22 million iu, ea . . . . . 53905-0991-01 811.50 665.00 PROLEX DH (Blansett) hydrocodone bitartrate/potassium guaiacolsulfonate LIQ. PO (AFSFFRUIT, TROPICAL) 4.5 mg/5 ml-300 mg/5 ml, 120 ml, C-III ..... 51674-0212-04 480 ml, C-lil ..... 51674-0212-07 5000 gm......**62991-1122-05** 5550.00 1850.00 PROLEX DM (Blansett) dm/k guai LIQ, PO (AF,SF) 

POW, NA (U.S.P.)

500 gm.....

(Meridian Pharm)

(SOY, U.S.P. 23)

(SOY, U.S.P. 23)

(SOY, U.S.P. 23)

progesterone, wettable POW, NA (U.S.P.)

5000 gm...

(Medisca)

100 gm. .....

PROGESTERONE WETTABLE (Hawkins)

POW, NA, 500 gm. .... 38779-0857-08 841.50

POW, NA, 100 gm.

500 gm.

(YAM) 500 gm.

1000 am

(VAM)

38779-0043-08 688.50

1000 gm. ..... 62991-2504-04 1320.00 440.00

..... 62991-2184-01 285.75 95.25

62991-2184-02 1197.00 399.00

62991-2184-03 1797.00 599.00

.63370-0201-35 280.00 .63370-0201-50 2300.00

63370-0291-55 11000.00

62991-2504-03 720.00 240.00

62991-1122-03 672.00 224.00

... 51874-0126-01 62.34

PROLEX PD (Blansett)

TER, PO, 600 mg-10 mg,

100s ea...

gualfenesin/phenylephrine hydrochloride

PROGE/482

R	OGE/ <b>482</b>				1.1
PR	OD/MER NDC	AWP	DP	OBC	
( <b>P</b> I	narma-Tek) W, NA (U.S.P., MICRONIZED) 10 gm	13.50			
	(U.S.P., WELTABLE) 10 gm	13.50			ļ
	25 gm	22.50			1
	25 gm	22.50 39.00			Ì
	(U.S.P., MICRONIZED) 50 gm	39.00	}		
	50 gm	73.50	)		
	100 gm39822-9100-07	73.56 540.0			
	(U.S.P., METTABLE) 1000 gm	540.0			
(	Phys Total Care) ilL, iM (M.D.V.) 50 mg/ml, 10 ml 54868-3396-00	16.6	0	El	E
9	Primedics) DL, IM, 50 mg/ml, 10 ml., 00684-0113-10		0	E	E
	Schein) See PROGESTERONE IN SES	AME O	IL		
	Serono) See CRINONE				
1 '	Solvay) See PROMETRIUM				
\ '	(Truxton) See PROGEST				
'	PROGESTERONE IN SESAME OIL (S	chein)			
	progesterane	,			
1	OH IND CARALLY	38.	75	,	10
1	50 mg/ml, 10 ml	, 50. .ek\	, 0	·	_
1	PROGESTERONE WETTABLE (Paddo progesterone	un,			
1	DOW NA (I) S.P. MICROCRYSTALLINE)	- 40	۰.		
-	10 gm	) 18 5 32			
Ţ			,19		
1	1000 gm	0 517	.50	. /	/
İ	PROGLYCEM (Zenith Goldline)			W	
	diazoxide SUS, PO, 50 mg/ml, 30 ml, 80575-6200-3	<u> 132</u>	13	ſ	
I	PROGRAF (Fujisawa) tacrolimus			1	
N	CAD DO 0.5 mg 60s ea . 90469-0807-6	7 108	3.02 3.53	1	
1	1 mg, 100s ea			- 1	
1	1 mg 100e as HD   HII4by-UD1/-1	0 29	1.66 2.61	١	
Il	5 mg, 1005 ea	100		l	
	5 mg, 100s ea UD 00469-0657-1	10 147	3.15	J	
- [i	SOL, IV (AMP,P.E.) 5 mg/ml, 1 ml				
4	PROHANCE (Bracco Diag)				_
	gadoteridol			•	/
	SOL, IV (S.D.V.) 279.3 mg/ml,				
	279.3 mg/mi, 5 mi 5s	04 18	9.06	151.25	i

SOL, IV (AMP,P.F.)		1
5 mg/ml, 1 ml	119.10	
PROHANCE (Bracco Diag)		~
gadoteridei		"
SOL, IV (S.D.V.)		
279.3 mg/ml,	400.00.10	4 05
5 mi 5s	189.00 10	11.20
(S.D. SRN, PREFILLED)		
279.3 mg/m),	387.50 31	0.00
279.3 mg/mi, 10 mi 5s	301.00 3	0.00
(S.D.V.)		
279.3 mg/ml.	270 04 2	96.75
10 ml 5s	542.B1 4	34 25
15 ml 5s 80270-1111-02	342.01	
(S.D. SRN,PREFILLED)		
279.3 mg/ml, 17 ml 5s	587.50 4	70.00
(S.D.V.)	•••••	
l San a ' tot		
279.3 mg/mi, 20 ml 5s	670.31 5	36.25
PROHIST-8 (EconoMed)		
chlorpheniramine maleute CER, PO, 8 mg, 100s ea 38130-5511-01	12 98	10.82
	, 2.00	
PROHISTINE DM (Propharma)		
bromphen/dm/ppa		
SYR, PO (A.E., S.E., RASPBERRY)		
2 mg-10 mg-12.5 mg/5 ml,	7.00	
480 ml	7.00	
PROLASTIN (Bayer Pharm)		
proteinase inhibitor (human), aipna i		
L PDS IV (APPRX 1000 MG VIAL.P.F.)		
1 mg, ea00026-0601-35	0.22	
(APPRX 500 MG VIAL,P.F.)	0.22	
1 mg, ea	0.22	

PROD/MER NDC AWP DP OBC	PRO
PROLEUKIN (Chiron Carporation) aldesleukin PDS, IV (P.F.)	
22 million iu, ea 53905-0991-01 675.00 555.00 PROLEX D (Blansett)	(All
gg/phenyleph TER, PO (D.F.) 600 mg-20 mg, 100s ea51674-0124-01 54.50	TAE
PROLEX DH (Blansett) hydrocodone/pol gual	(A)
LÍQ, PO (A.F.,S.F.) 5 mg-300 mg/5 ml, 480 ml, C-III51674-0012-07 49.95	ŠÝ
PROLEX DM (Blansett) dm/pot gual L10, PO (A.F.,S.F.,PINAPPLE-ORNG) 15 mg-300 mg/5 mi, 16 op; 16 pg 17 mg-300 mg/5 mi, 17 mg-300 mg/5 mi, 18 mg-300	(0
400 (6)	(0
PROLINE (A-A Spectrum)  prolline  (Ar. MA (U.S. R.)  25 pm.  (FCD.)  25 cm.  49872-6082-67 (A-8)-67 (A-8)  (H.S. R.)  (H.	) (0 5   S
graces (1997) (1	
101 gm	S T
	9
PROLIXIN (Apothecon) fluphenazine hydrochloride ELI, PO, 2.5 mg/5 ml, 60 ml	NA
473 ml	AP
PO, 5 mg/ml, 120 ml. 00003-0801-10 154.02 135.11 TAB, PO, 1 mg, 100s ea 00003-0864-50 142.46 98.5 2.5 mg, 100s ea 00003-0864-50 149.18 130.86 5 mg, 100s ea 00003-0877-50 205.70 180.44 10 mg, 100s ea 00003-0856-50 267.74 234.86	AB AB AB
PROLIXIN DECANOATE (Apothecon) fluphenazine decanoate OIL, IM (SRN,UNIMATIC)	
25 mg/ml, 1 ml	
PROLIXIN ENANTHATE (Apothecon) (luphenazine enanthate	
OIL. IM (VIAL) 25 mg/mi, 5 mi00003-0824-05 123.36 106.21 PROLOPRIM (Monarch)	
trimethoprim TAB, PO, 100 mg, 100s ea . 61570-0057-01 103.00 200 mg, 100s ea 61570-0058-01 205.85	AB AB
PROMACET (MCR/Amer Pharm, Inc.) apap/butal TAB, PO, 650 mg-50 mg.	
100s ea 58605-0524-01 61.09 PROMACOT (Truxton)	EE
promethazine hydrochloride SOL, IJ (VIAL) 50 mg/ml, 10 ml 00463-1095-10 4.80 TAB, PO, 25 mg, 1000s ea . 80463-8156-10 15.00	EÉ EÉ
PROMAR (Marlop) fe tum/tolic acid/intrin/vit b12/vit c CAP, PO, 30s ea	
PROMAZINE HYDROCHLORIDE (Consolidated Midland)	
SOL, IM (VIAL) 25 mg/ml, 10 ml 00223-8397-10 4.80 50 mg/ml, 10 ml 00223-8398-10 5.25	EE
PROMETHAZINE HYDROCHLORIDE HEA SYR, PO, 6.25 mg/5 ml,	
480 mi	
SOL LI (CARPLIJECT)	70 <b>AP</b>
25 mg/ml, 1 ml 10s00074-2312-11 19.45 8.	80 AP
25 mg/mi, 1 ml 10s 09074-2312-31 10.57 8.	90 AP

. 3		`	
→ l	2001	RED	<b>BOOK</b>

	$\rightarrow$	2001	RED	BOC	) K
PRO	D, MER NO	C	AWP	OP OF	c l
	(CARPUJECT) 50 mg/ml, 1 ml 10s80 (CARPUJECT_LUER LOCK	074-2335-01	11.28	9,50	AP .
	(CARPOJECI, LOEN LOOK 50 mg/ml, 1 ml 10s00 scripts)	074-2335-31	11.52	9.70	AP .
SYR	, PO, 6.25 mg/5 ml,	.569-1046-00 .569-4168-00	3.97 0.36		EE EE
TAB	PO, 25 mg, 5s ea 54 10s ea 54 12s ea 54 30s ea 54	1569-1754-01	0.72 0.86 2.15		EE
(Ali Syf	pharma USPO) R. PO (CHERRY)				
	120 ml	0472-1504-08 0472-1504-16 0472-1504-28	3.90 5.83 9.32 49.98		A
	ardinal Pharm) See PRO entury) See PENTAZINE		PLAIN		
(CI	lint) See ANTINAUS 50				and the second
	onsolidated Midland) IL, IJ (VIAL) 25 mg/ml, 1 ml 25s(	0223-8393-01	20.00		EE
	10 ml	)()223-8393-10 nn223-8394-01	4.00 25.00 4.25	)	EE EE
17/	480 mlAB, PO, 25 mg, 100s ea 1000s ea	00223-1521-01	4.5 4.2 39.5	5	EE EE
	YR, PO, 6.25 mg/5 ml, 120 ml	00223-6347-01 00223-6347-02	3.2 8.0		EE EE
İš	YR, PO, 6.25 mg/5 ml,	59911-5818-03	3 7.2 1 6.5		AA BP
	AB, PO, 12.5 mg, 100s ea 25 mg, 100s ea 50 mg, 100s ea	54411-58/Z·U	1 3.3	36	BP BP
l š	Eikins-Sinn) 50L, iJ (AMP, DOSETTE) 25 mg/ml, 1 ml 25s 50 mg/ml, 1 ml 25s	, 00641-1496-3		76 45. 38 57.	41 AP 10 AP
1	(G&W) See PROMETHE (Gallipot)	GAN			
	POW, NA (U.S.P.,N.F.)  1 gm	51552-0147-0 51552-0147-2	25 33	.20 .16 .36 .52	
	(Geneva) TAB, PO, 25 mg, 100s ea	00781-1830- 00781-1830-	01 3 10 28	.96 l.80 l.98	BP 8P 8P
,	50 mg, 100s ea (Hyrex) See PROREX				
3	(Major) SUP, RC, 50 mg, 12s ea		-12 4	5.50	SR
E	SYR, PO, 6.25 mg/5 mi, 480 ml			6.50	AA .
E	(Medisca) POW, NA (U.S.P.) 25 gm	38//9-0203	- <b>U</b> O J	3.57 2	1.70 9.70
Ē	500 gm (Meridian Pharm)	38779-0253	<b>-08</b> 15	0.52 13	3.20
	POW, NA (U.S.P.) 25 gm	n230911-1120	Puz K	12.00 12.00 15.00	
	(Morton Grove) Syr, PO (Tropical Fr				
EE	6.25 mg/5 ml, 120 ml	60432-860	8-04 8-1 <del>6</del>	3.85 7.28	AA AA
	(PD-RX Pharm) TAB, PO, 25 mg, 2s ea 10s ea	55289-045 55289-046	4-02 4-10	1.16 2.87	BP BP
AP	20s ea	55289-046 55289-046	4-20 4-25	3.48 3.87 4.50	9P 8P 8P
AP	30s ea	25%83-040	4-60	5.78	BP
AP	TAB, PO, 25 mg, 12s e	a 51655-008	4-27	4.20	£E

RED BOOK Database Services...

For the Foreign of PED BOOK on Your Computer, For intermedian contra the (800) 722-3062

ReadyPrice

Ask You

about Pro

YOU

PRES(

Click

\$10 o

saving

on n

pres

we'v

crea

an o

pha

you

trus

Buy Prograf online in 1mg capsules; cheap drug prices and information

## edrugstore.com. a better way to shop for health & beauty

welcome (sign in) | view shopping bag | ↓
your account | your list™ | your prescript



## new prescriptions no new prescription items

view new prescription cart

### pharmacy directory

- drug prices
- how our pharmacy works
- insurance/discount cards
- your prescriptions
- insurance plans

### common questions


- When will my medication arrive?
- How do I get my prescription to you?
- What if my medicine is not in the drug index?
- more information...

### contact us

- 1-800-378-4786
- · e-mail us
- drugstore.com
   407 Heron Drive
   Swedesboro, NJ
   08085-9810

back to: pharmacy / drug prices & information / P

Prograf (other types of Prograf)



These are self-pay prices and do not take into account any discounts or insurance coverage that you may have. Actual prices are calculated at the time of your order.

e-mail a friend about this prescription product

Let your friends know about this prescription product and our low drug prices!



Learn more about usage, cautions, and possible side effects.

### Capsules

Chemical Name: TACROLIMUS (ta-KROE-li-mus)

### Common uses

This medicine is an immunosuppressant used to prevent rejection after a liver or kidney transplant. It may also be used to treat other conditions as determined by your doctor.

return to top

# **G**i

### Tax Ad Onli

Now ava easier w your med spending Learn mo

Find FSA products Shop ou

### Before using

WARNING: Tacrolimus may leave you less able to fight infection and could also cause tumors. This medicine must be used in an appropriate setting. Notify your doctor immediately if you develop signs of infection (such as persistent sore throat or fever), or unusual growths. Some medicines or medical conditions may interact with this medicine. INFORM YOUR DOCTOR OR PHARMACIST of all prescription and over-the-counter medicine that you are taking. DO NOT TAKE THIS MEDICINE if you are also taking cisapride, cyclosporine, astemizole, or terfenadine. ADDITIONAL MONITORING OF YOUR DOSE OR CONDITION may be needed if you are taking dalfopristin, an HIV protease inhibitor, nonsteroidal anti-inflammatory

drugs (NSAIDs), macrolide antibiotics, quinupristin, or oral antifungal agents. Inform your doctor of any other medical conditions, allergies, pregnancy, or breast-feeding. Contact your doctor or pharmacist if you have any questions or concerns about taking this medicine.

return to top

### Directions

Follow the directions for using this medicine provided by your doctor. This medicine is best taken on an empty stomach 1 hour before or 2 hours after a meal. This medicine may be taken with food if it upsets your stomach; however, this may decrease the amount of the medicine absorbed into your bloodstream. If you take this medicine on an empty stomach, always take it on an empty stomach. If you take it with food, always take it with food. Consult your doctor for more details (since your doctor will be monitoring the amount of this drug in your blood). SWALLOW WHOLE. Do not break, crush, or chew before swallowing. DO NOT DRINK GRAPEFRUIT JUICE OR EAT GRAPEFRUIT WHILE TAKING THIS MEDICINE unless directed otherwise by your doctor. Space your doses evenly throughout the day. STORE THIS MEDICINE at room temperature in a tightly-closed container, away from heat and light. IF YOU MISS A DOSE OF THIS MEDICINE, take it as soon as possible. If is almost time for your next dose, skip the missed dose and go back to your regular dosing schedule. Do not take 2 doses at once.

return to top

### **Cautions**

DO NOT STOP TAKING THIS MEDICINE without checking with your doctor. Continue taking this medicine as directed even if you feel well. DO NOT increase or decrease the dose unless directed to do so by your doctor. KEEP ALL DOCTOR AND LABORATORY APPOINTMENTS while you are taking this medicine. THIS MEDICINE MAY LOWER YOUR RESISTANCE TO INFECTION. Prevent infection by avoiding contact with people with colds or other infections. Do not touch your eyes or the inside of your nose unless you have thoroughly washed your hands first. DO NOT USE A SALT SUBSTITUTE OR POTASSIUM SUPPLEMENT without checking with your doctor. BEFORE YOU BEGIN TAKING ANY NEW MEDICINE, either prescription or over-the-counter, check with your doctor or pharmacist. DO NOT TAKE SELDANE (terfenadine) OR HISMANAL (astemizole) while taking this medicine. CHECK WITH YOUR DOCTOR BEFORE HAVING IMMUNIZATIONS (VACCINATIONS) while you are taking this medicine. FOR WOMEN: IF YOU PLAN ON BECOMING PREGNANT, discuss with your doctor the benefits and risks of using this medicine during pregnancy. THIS MEDICINE IS EXCRETED IN BREAST MILK. DO NOT BREAST-FEED while taking this medicine.

return to top

### Possible side effects

SIDE EFFECTS, that may go away during treatment, include nausea, headache, constipation, tremor, or difficulty sleeping. If they continue or are bothersome, check with your doctor. CHECK WITH YOUR DOCTOR AS SOON AS POSSIBLE if you experience anxiety, chest pain, constant hunger, continued thirst, dizziness, frequent urination, stomach pain, diarrhea, vomiting, tingling or numbness of the hands or feet, fever or chills, unusual bleeding or bruising, swelling of feet or legs, or vision changes. CONTACT YOUR DOCTOR IMMEDIATELY if you experience fainting or irregular heartbeat. IF YOU EXPERIENCE difficulty breathing; tightness of chest; swelling of eyelids, face, or lips; or if you develop a rash or hives, tell your doctor immediately. Do not take any more doses of this medicine unless your doctor tells you to do so. If you notice other effects not listed above, contact your doctor, nurse, or pharmacist.

return to top

### our policies

- · VIPPS
- shipping policy
- return policy
- about our prices

### Search:



Page 3 of 3

### **Drug interactions**

return to top

### If you take too much

If overdose is suspected, contact your local poison control center or emergency room immediately.

return to top

### Additional information

DO NOT SHARE THIS MEDICINE with others for whom it was not prescribed. DO NOT USE THIS MEDICINE for other health conditions. KEEP THIS MEDICINE out of the reach of children. IF USING THIS MEDICINE FOR AN EXTENDED PERIOD OF TIME, obtain refills before your supply runs out.

eturn to top

Selected data included with permission and copyrighted by Medi-Span, 2004. This copyrighted material has been downloaded from a Licensed data provider and is not for distribution in professional healthcare settings.

drug searci	h	
-------------	---	--

enter	the	drug	name:	
				<b>©</b>

or click the first letter of the drug: A B C D E F G H I J K L MN O P Q R S T U V W X Y Z #

### Ask Your Pharmacist about Prograf

Do you have a question about Prograf? Our pharmacists have prepared hundreds of answers to commonly asked questions. Check below for an answer to your question.

• I heard that grapefruit juice can interfere with some medicines. Is this true? (1 - 1 of 1)

### Oquestions? Contact us at <a href="mailto:aboutrx@drugstore.com">aboutrx@drugstore.com</a>.

home | holiday 2004 | pharmacy | medicine cabinet | bath & cosmetics | vitamins & diet | gnc store | personal care | household & cleaning | sex salon hair care | dr. weil recommends | skin care | food & snacks | fitness | baby store | pet store | the sale | discount contact lenses from vision d

Information on this site is provided for informational purposes and is not meant to substitute for the advice provided by your own physician or other me You should not use the information contained herein for diagnosing or treating a health problem or disease, or prescribing any medication. You should product packaging. If you have or suspect that you have a medical problem, promptly contact your health care provider. Information and statements re supplements have not been evaluated by the Food and Drug Administration and are not intended to diagnose, treat, cure, or prevent any disease. Cus provided for informational purposes only. Customer reviews reflect the individual reviewer's results and experiences only and are not verified or endor drugstore.com, inc. Actual results may vary among users.

Please see our <u>Terms of Use | Privacy Policy | Pharmacy Notice of Privacy Practices</u>
Copyright © 1999-2004 drugstore.com, inc. All rights reserved.